

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	315882	(measur\$6 or determin\$6 or detect\$6 or obtain\$6 or calculat\$6) near6 ((detect\$6) near3 (value\$2 or level\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 12:34
L2	14327	(stored or storage or storing) near6 ((adjusted or adjustment or corrected or correction) near3 (value\$2 or level\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 13:13
L3	3551	1 and 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 13:13
L4	5597	(adjustment or adjusting or correcting or correction) near8 ((sensitivity or sensitivities or power) near5 (light or emitted or emitting or conversion or converting))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 13:16
L5	99	3 and 4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 13:16
L6	1590	(photoelectric) and (target) and (sensitivity) and (threshold or reference) and (comparison or comparing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 13:17
L7	3	5 and 6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 13:18
L8	93376	("356"/\$7.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 13:18

L9	134622	("250"/\$7.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 13:19
L10	8	5 and 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 13:21
L11	18	5 and 9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 13:29
L12	156609	("340"/\$7.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 13:19
L13	3	5 and 12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 13:23
L14	2701	(250/214.\$7.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 13:20
L15	2423	(250/221.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 13:20
L16	0	5 and 14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 13:20

L17	0	5 and 15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 13:20
L18	1	(photoelectric adj3 sensor) and (detection adj3 region) and (light adj3 reception) and (target adj3 value) and (detection adj3 value) and (sensitivity adj3 adjustment) and (threshold adj3 value)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 13:31